



TheElite Training Group track club

Expanding the area of what is possible

In Track & Field Distance Running & Competent Self-Care in medicine and psychology

www.theetgtrackclub.com

TheETG training program

TheETG Training Packets

Mission: Expand the area of what is possible for human performance in distance running. TheETG's primary method of achieving that is to proliferate applied science based information by way of \$free packets containing plain language info for anyone seeking to move themselves or others forward in these areas.

As you continue to acquire and apply more information you continue to expand the area of what is possible.

The functioning of brain cells, muscle cells, blood cells, -all cells- are governed by the laws of nature, -not- your chosen belief system.

Data-less conclusions founded upon faulty assumptions are the mother of all screw-ups. They lead to human belief systems that quickly get set in stone.

Put data ahead of dogma. Follow the data -not- the crowd.

".....cellular development must be governed by a variety of factors outside the scope of genetic inheritance. "

B.L.Stauffer -- Epigenetics: An Emerging Player In Health And Disease
Journal Of Applied Physiology.....Volume 109 #1.....July 2010.....page 230 -231

"...elite athletes are still made and not born, though perhaps some may be made elite in one discipline more easily than others."

A. Jones, et al -- Human Performance: A Role For The ACE Genotype?
Exercise & Sport Sciences Reviews -- Volume 30 #4 -- October 2002 -- page 184

"Scientifically speaking, altitude training has no effect."

Dr. Nikolai Nordsborg -- University of Copenhagen

"...called EPO...a new systemic review of existing research reveals that there is no scientific evidence that it does enhance performance, but there is evidence that using it in sport could place a user's health and life at risk."
EPO [erythropoietin] doping in elite cycling: No evidence of benefit, but risk of harm -- Science Daily -- December 5, 2012


"Many of these compounds in a highly-trained individual do absolutely nothing from the point of view of enhancing performance....."

"...Athletes think if it's on a list, it works."
S.Devi -- Overhaul of global anti-doping system needed -- Lancet — Volume 387 #10034 — May 28, 2016 — page 2188

"...investigate the effects of supposedly enhancing drugs in sport. If, as is expected, many substances in current use are found to be ineffective it will help keep our athletes safe and improve confidence in sporting results."


Adam Cohen -- Centre for Human Drug Research in Leiden -- The Netherlands

You may copy any and all contents of this packet, with exception and exclusion of using such copies for purposes of producing revenue, profit, or any direct or indirect compensation.



The Human Body Is A Construction Site
 --- blue prints & instructions of what to build
 --- building materials
 --- maintenance & repair

Train The Brain



Facts

- 1 - workout
- 2 - build new parts of cells and/or new cells

Questions

- 1 - what needs to be built
- 2 - what workout design causes this

“Nature.....to be commanded,
 must be obeyed.”

Francis Bacon

disruptive innovation

**Velocity Oriented Training....All interval training All the time
recruitment, recruitment rate, recruitment duration at goal pace**

Brain & nervous system gene transcription & translation

- mitochondria**
- ion pumps & ion channels**
- glucose transporters & glycogen storage capacity**
- blood vessels**



TheETG Training Principles

Do these things and you remove the major limitations that are embedded in the design of traditional training programs in track & field distance running.

1 --- Standardization & Progressions

Think standardization.....Choose a group of workouts and stick with those workouts all year around.

In human physiology and the subject of training stimuli, variety is -not- always your friend.

Thus road workouts should be repeated on the --same-- course. Tracks or type of track surface should be the -same- from one workout to the next. Workouts, rest days, and break periods should be standardized.....rather than "making it up as you go".

And the presence of potent training stimuli should be permanent in the training program.

Never "periodize" those workouts out of the training program across the course of a season or year.

Base building workouts should be designed in a standardized manner such that over time, as the body responds via training adaptations, the target times can be reset for progression to faster target times.

Provides greater control to the coach to create a stepwise progression of the training stimulus.

This should be a permanent characteristic in workout design.

2-- Stay ahead of tissue tightening and tissue strength needs

Look to successfully address this. All is lost if you don't get this done.

Tissues tighten over time due to training!!! They lose range of motion. This major issue in our sport shows up everywhere you look in the form of muscle spasms, cramps, micro-tears, strains, pulls, all typically occurring at the worst possible time because these issues happen when your fitness level is moving forward. They happen because your fitness level is moving forward. They happen at times when things are going well. The rate of tissue tightening as your fitness level progresses may exceed the rate, frequency and/or effectiveness of your stretching protocols [range of motion exercises = ROM's]. Hamstrings, calves, quads [and in throwers = pecs, biceps].

Use long hold [5 - 10 minutes] Range Of Motion exercises to stay ahead of tissue tightening.

All is lost if you don't get this done. Also, if the level of tissue strength necessary to endure your training loads exceeds what your tissues have, the tissues that are the weakest link in the chain may require you to improve the effectiveness of your strengthening protocols or reconsider the design of your training program.

3 --- Rest Days, Stay anabolic

Nutritionally, the focus is protein and micronutrient intake....not carbo loading.

Keep the body in an anabolic state. If you get that done everything moves forward. If you don't get that done nothing else matters.

You should permanently place days off in your training program in a standardized, non-"make it up as you go along" manner.

That's days, as in the plural form of that word.

In a velocity oriented training program there should be multiple days rest between run training workouts.

In designing a training program, faulty assumptions are the mother of all screwups.

Training less requires less rest = faulty assumption.

Higher intensity training requires less training but more rest between workouts.

4 --- Most training in interval form

You get the most fit at the paces you train on the most.

Faster training increases the potential for achieving higher levels of fitness, and thus running faster times in races. At the cellular level both endurance and speed emanate from relatively high velocity aerobic training, especially when done on mega-sized hills. You'll have "speed" whether you do sprints or not, you'll have endurance whether you do "long runs" or not.

All year around do an abundance of goal pace workouts. Avoid having these workouts appear and disappear based on time of year or time of season, or relative fitness level. All year around!!!

All year around do an abundance of interval workouts and/or sustained pace workouts in and around the 5 to 10 minute corridor [plus or minus 1 – 2 minutes]. Targeting this corridor forces design of workouts containing relatively high intensity sustained effort training on courses with mega-sized hills that create an elevated demand for relatively high power output from the brain & nervous system. These types of workouts are a velocity oriented version of what is called a "tempo run", or a "long run", and/or "altitude training" in traditional training programs. In terms of physiological training adaptations, "altitude training" is more about the hills that come with being near mountains than the air at altitude.

The multitude of workouts in a traditional training program from the 8 to 12 mile fast runs, to mile repeats, to 15 mile long runs, to the 6 to 9 mile fartleks.....should -all- collectively be viewed as a multitude of different ways a personal trainer at a gym has a client do sit-ups. You don't need a multitude of different ways to do sit-ups.

You can and should choose 1 to 3 effective ways, stick with those.....and ditch everything else.



TheETG Training Program

By Marshall Burt.....

Part of TheETG mission is to break all world and American records at 800m, 1500m, 5000m, 10,000m.

Thus, I set out to design a non-traditional, science based training program with very few moving parts, that creates controlability in producing a large forward movement in fitness level in a short period of time — from a small amount of training, and doing so without the all too typical plateau or limitation in fitness progression over the long term.

Something representing "disruptive innovation". That was sometime around 1991.

I thought it would take about 1 - 2 years to design a program that achieved all of the above.

Took me a few minutes less than about 30 years just to enter the ball park of completing the design of this training program. Started with several years of several hours a day in the Human Performance and exercise physiology labs at Univ of Texas with several of the top researchers in the world, lotta years in the libraries at Univ of Texas reading published sport sciences research, lotta years of trial and error with more error than trial. Lots of frustration with every few steps forward came a step back.

TheETG velocity oriented "all interval training all the time" Training Program represents "disruptive innovation" in training in our sport. It disposes of the major strongholds in traditional thinking in our sport, issues surrounding the obsession with weekly mileage, training volume versus intensity, periodization versus standardization, altitude versus sea level, red blood cells versus plasma volume, genetics versus training, drugs versus placebo effect, and the issues around age and aging and the supposedly mandatory loss of power and endurance capabilities that people claim --has-to-- come with that. Traditional training programs call certain days "easy days" or "recovery days". **Those have all been stripped away, replaced simply by rest.** In the area of periodization, traditional training programs progress over a period of months from slow mileage and hills, to some higher velocity training, then some "speed work" and so-called "peaking", then several weeks off and loss of fitness. TheETG training program condenses everything including the "base building" and all other workouts into a series of workouts repeated all year round. Workouts -don't- come and go from the training program [periodization] across a season as is the norm with traditional training programs. The workouts, rest days etc are standardized rather than making-up stuff as we go.

TheETG training program in a nutshell.....

Traditional training programs focus on training up muscle, red blood cells, heart and lung capacity.

TheETG focuses almost solely on the brain, nervous system, and immune system.

This makes the design of TheETG training program pretty simple.

There are standardized workouts done all year around across each calendar year. Looking back at the end of each month, including warmups, etc. the runner averages closer to 2 to 10 miles per week than the 70 to 150 miles per week of a traditional, mileage oriented training program.

TheETG velocity oriented "all interval training all the time"

The objective in the design and structure of the running workouts is to develop the level of brain cell and nerve recruitment, recruitment rate, and recruitment duration necessary to run at goal pace from starting line to finish line. Achieve that by designing workouts that stimulate gene level inducement of the required training adaptations in and around brain cells and nerve fibers.

The big ticket item brain & nervous system training adaptations.....

- mitochondria
- ion pumps & ion channels
- glucose transporters & glycogen storage capacity
- blood vessels

1 ----- TheETG Goal Pace = train at goal pace. As fitness level moves forward across weeks/months/years progress toward 1 rep at goal pace for the full race distance. Maximum cumulative volume of the workout adds up to the race distance.

The goal pace workout is done all year round, about 25 - 35 sessions each year.

2 ----- Base Building Hills Day = 1 mile run.

Base Building hills day workouts are TheETG velocity oriented version of what is called "tempo runs", or a "long runs", and/or "altitude training" in a traditional training program. Moderate to fast pace runs on a course with mega-sized hills. In terms of physiological training adaptations "altitude training" is more about hills that come with mountains than the air at altitude. Each workout is done all year round.

The base building workout is about 25 - 35 sessions each year.

----- **megacycles** = 3 weeks.....about 13 to 16 megacycles each year.

----- **run training workouts** = 4 in each megacycle. About 55 - 65 sessions each year.

----- **break periods** = 7 days to end each ETG Megacycle.....about 100 – 115 days each year.

----- **TheETG range of motion [ROM's]** = 10 sessions in each megacycle. About 130 - 160 sessions each year.

----- **TheETG strength training** = 2 sessions in each megacycle. About 25 - 30 sessions each year.



TheETG Megacycle

Develop the level of brain cell and nerve recruitment, recruitment rate, and recruitment duration necessary to run at goal pace from starting line to finish line.

Achieve that by designing workouts that stimulate gene level inducement of the required training adaptations in and around brain cells and nerve fibers.

The big ticket item brain & nervous system training adaptations.....

- mitochondria
- ion pumps & ion channels
- glucose transporters & glycogen storage capacity
- blood vessels

TheETG megacycle = 3 weeks [2 week training period + 1 week break period]

Training Period = week 1

Mondays Base Building Hills Day -- hot bath -- inversion table -- lite massage -- autogenics	Tuesdays TheETG ROM's -- supp exercises -- down time	Wednesdays TheETG strength training	Thursdays TheETG ROM's -- supp exercises -- down time	Fridays TheETG Goal Pace -- hot bath -- inversion table -- lite massage -- autogenics	Saturdays TheETG ROM's -- supp exercises -- down time	Sundays TheETG ROM's -- supp exercises -- down time
---	--	--	---	--	---	---

Training Period = week 2

Mondays Base Building Hills Day -- hot bath -- inversion table -- lite massage -- autogenics	Tuesdays TheETG ROM's -- supp exercises -- down time	Wednesdays TheETG strength training	Thursdays TheETG ROM's -- supp exercises -- down time	Fridays TheETG Goal Pace -- hot bath -- inversion table -- lite massage -- autogenics	Saturdays TheETG ROM's -- supp exercises -- down time	Sundays TheETG ROM's -- supp exercises -- down time
---	--	--	---	--	---	---

Break Period = week 3

Monday 1 mile walk [Hills Day course]	Tuesday	Wednesday 1 mile walk [Hills Day course]	Thursday	Friday 1 mile walk [Hills Day course]	Saturday	Sunday
--	----------------	---	-----------------	--	-----------------	---------------

TheETG protocols

See protocols for.....**strength training, supplemental exercises** in TheETG free pdf packet = **TheETG training program**
 See protocols for.....**range of motion exercises** in TheETG free pdf packet = **TheETG ROM's**
 See protocols for.....**autogenics, hot bath, inversion table, lite massage** in TheETG's free pdf packet = TheETG recovery, restoration, adaptation

-- hot bath w/epsom salts = 10 minutes, temp 98 - 105F -- inversion table = inverted position for several minutes	-- lite massage = no deep stuff, no pain, no digging,
-- autogenics = relaxation exercise for 10 minutes	-- downtime = lay-down within 10 hours after you wakeup



Workout Details

track events....800m, 1500m, 5000m, 10,000m

TheETG Goal Pace workout

Standardized reps at goal pace in interval form

- set reps distance to allow running at a non-all-out effort. When fitness level allows, make progression to increase distance of the reps.
- maximum cumulative volume of the workout adds up to the race distance.
- as fitness level moves forward across weeks/months/years progress toward 1 rep at goal pace for the full race distance.

- take a --full-- recovery between reps to be reasonably fresh for the next rep.....[don't play games with the rest period]
- no running or jogging during the rest periods. Spend most of that time sitting or laying down.
- if necessary, do a dramatically abbreviated warmup prior to the next rep.

- on days where things aren't going well, avoid shutting down the workout. Do --all-- reps, if necessary by walking or combo walk-jog
- cold or very windy weather = run the reps at a comfortably fast pace. The workout should be made into a placeholder workout for fitness.
- illness or injury, continue with the training schedule. Delete the velocity//intensity component. Walk or jog if necessary.
In this way the workout should be made into just a placeholder for fitness. Apply this approach to all workouts in at least a 7 day period.

Base Building Hills Day

Standardized moderate to fast pace run on a mega-sized hill = **1 mile run**

TheETG velocity oriented version of what is called a "tempo run", or a "long run", and/or "altitude training" in a traditional training program. In terms of physiological training adaptations "altitude training" is more about hills that come with mountains than the air at altitude.

- run at a set pace, over the course of the year as fitness level moves forward, make progressions, re-set the pace to faster target times
- **insure the standardization** of this workout by always using **the same, set-in-stone mega-sized hills course.**

---- **intensity is built into the design of the workout. To avoid adding more, avoid pushing. Let the workout design do the work**

- on days when things aren't going well, avoid shutting down the workout. Do the workout, if necessary by walking or combo walk-jog
- illness or injury....go into fitness "place-holder" mode.
Fitness "place-holder" = continue with the training schedule. Delete the velocity//intensity component.
Walk or jog if necessary. In this way the workout should be made into just a "place-holder" for fitness.

TheETG taper protocol for major meets & championships

- reduce the effort level in workouts during race week
- autogenics everyday.
- 1 day before a track meet.....TheETG Goal Pace workout = **one rep run at 30%** of your normal rep 1 distance



Training Records

year = _____

Megacycle # _____

week 1

Base Building Hills Day date _____ temp _____ wind _____ 1 mile target pace _____ mile = _____ _____	TheETG Goal Pace date _____ temp _____ wind _____ 1 = _____ 2 = _____ 3 = _____ 4 = _____ 5 = _____ 6 = _____ 7 = _____ 8 = _____ 9 = _____ 10 = _____ 11 = _____ 12 = _____ 13 = _____ 14 = _____ 15 = _____ 16 = _____ 17 = _____ 18 = _____ 19 = _____ 20 = _____ 21 = _____ 22 = _____ 23 = _____ 24 = _____ 25 = _____ 26 = _____ 27 = _____ 28 = _____ 29 = _____ 30 = _____
---	---

week 2

Base Building Hills Day date _____ temp _____ wind _____ 1 mile target pace _____ mile = _____ _____	TheETG Goal Pace date _____ temp _____ wind _____ 1 = _____ 2 = _____ 3 = _____ 4 = _____ 5 = _____ 6 = _____ 7 = _____ 8 = _____ 9 = _____ 10 = _____ 11 = _____ 12 = _____ 13 = _____ 14 = _____ 15 = _____ 16 = _____ 17 = _____ 18 = _____ 19 = _____ 20 = _____ 21 = _____ 22 = _____ 23 = _____ 24 = _____ 25 = _____ 26 = _____ 27 = _____ 28 = _____ 29 = _____ 30 = _____
---	---

Break Period = 7 days ends each megacycle



Strength Training

-- for weights....work with a weight you can't lift in a relatively slow and controlled manner more than 3 to 4 reps consecutively

1/4 squat [one leg at a time, barbell on shoulders, only go 1/4 of the way down]	2 reps
soleus raises do one leg at a time.....seated, knees bent plantar flexion	2 reps
bench press [laying supine on bench, use barbell to do both arms together]	2 reps
calf raises do one leg at a time.....barbell on shoulders	2 reps
hamstring curl [do one leg at a time]	2 reps
shoulder retraction [use seated row machine, do both arms together] [arms stay straight, elbows stay locked through entire motion]	2 reps
forearm Curl [standing, use dumbbells, one arm at a time] [hand position = palm stays in mid-position.....-not- palm up, -not- palm down]	2 reps
bar dips	5 reps
Pull-ups [hand position = palms facing each other]	5 reps
wall hand stands [push-ups in a hand stand position] -- Use a wall as a back-stop. If you lack the strength to do this, begin with a modified version.... -- put your back to the wall, put hands on floor, walk your feet up the wall as far as you can handle. As you get stronger, walk feet further up the wall -- when you can go close to vertical, turn around and do them normally	5 reps
jacks [jack-knife sit-ups, simultaneously done sits-ups and leg raises] -- lay on floor, supine on your back -- raise your straight legs and at the same time do a sit-up with arms extended -- touch your toes keeping legs straight, then return to starting position	10 reps
back extensions [lay on floor, prone on your stomach] -- raise upper-torso slightly off the ground [arms folded, hands under chin]	10 reps
balance close eyes, on one leg.....do a 1/4 squat & return to start	5 reps
side shuffle -- side to side leg movement [no step over] facing one direction	5 reps about 5 meters [out and back = 1 rep]
depth jumps [do both legs at the same time] -- jump down from a box height, land on ground, then as quickly as possible jump up high off the ground. That's 1 rep, do 4 reps	5 reps

Supplemental Exercises on all ROM's days

- 5 reps -- back extensions
- 5 reps -- jacks
- 5 reps -- wall handstands



TheETG Strength Training

During the running stride, the foot is on the ground for only a short period of time.

You need to be able to produce a high level of force during the short period of time that the foot is on the ground.

The rate and amount of force production is kind of important in our sport. The rate and amount of force production increases with the rate and intensity of electrical signals from the brain, down the transmission lines [nerves], to the muscles. The more force you can produce while your foot is on the ground during the running stride, the faster you can run.

Real strength is about the brain and nervous system, -not- muscle mass.

That's the mechanism by which a guy at the 1996 Olympic Games set a world record in the clean and jerk.....nicknamed "pocket Hercules" due to weighing only 140 pounds he lifted 412 pounds off the floor and brought it to his chest, then pressed it over his head. Real strength is about the brain and nervous system, -not- muscle mass.

Several sprinters on the planet, weighing the 140 - 150 pounds, about the same as middle distance runners but running 9.7 - 9.9 for 100 meters. Power output is about the brain and nervous system, not muscle mass.

One could turn on "Good Morning America" or the "Today Show" a few years ago when Shaolin monks from China were touring the U.S.. One of them weighing 160 - 180 pounds did a hand stand using only his index fingers, not only supporting his body weight but maintaining his balance with no help as well.

Strength and power are about the brain and nervous system, not muscle mass.

Mechanisms Of Developing Strength & Power

Muscles don't move without being told to do so.

To be told to do so, they have to be sent an electrical signal.

This signal tells them how much force to produce and how quickly to produce it.

The brain sends these signals down its transmission lines [ie. nerves] out to the muscles.

The mechanisms of performance in our sport are conceptually contained in the following questions;

1. **How much** force can you produce [Strength]
2. **How quickly** can you produce a high level of force [Power]
3. **How long** can you keep that going [Endurance]

Strength via the brain and nervous system. If you train it you will have it. If you don't, you won't.

Focus on brain and nerve -not- muscle mass. Biggest is not always strongest.

Training & Performance issues

- how much force can you produce, and how quickly can you produce it
- increase amount of force production
- increase rate of force production

Objective

- induce adaptations in brain and nervous system rather than a focus solely on muscle

The major proteins that your training program needs to cause production of [to a very high level for high level performance].....

1 --- Proteins involved in synaptogenesis [production of connections between brain cells to aide in synchronization of signals to muscle for muscle fiber force output and rate of force production]

2 --- sodium/potassium pumps along brain cell, nerve fiber, and muscle fiber membranes.

3 --- calcium pumps in muscle for returning calcium to storage areas [sarcoplasmic reticulum] in muscle in between muscle contractions.

4 --- faster rather than slower forms of sodium/potassium/chloride/calcium pumps and channels along brain cell, nerve fiber, and muscle fiber membranes.

TheETG

Boosting Training Adaptations

--- lite massage

Stimuli for brain cell, immune and nervous system regeneration, and to keep body in an anabolic state.
Lite massage only, no deep massage, no thumbs or elbows, no digging.

--- Jacuzzi

5 - 10 minutes [98 - 105 degrees F] Provides stimuli for production of nerve growth factor, brain derived neurotrophic factor, isoforms of growth hormone, isoforms of insulin-like growth factor-1, and blood flow for regenerative functions in brain, nerve, immune system, and muscle.

--- Epsom salt bath

5 - 10 minutes warm or hot bath in epsom salts [magnesium absorbed through skin]

--- Down-time eyes closed bed-rest

Eyes closed lay-down time preferably within 7 – 9 hours after you get up in the morning. Splits-up the amount of "up-time" and/or awake-time on a given day by inserting some down-time. Reduce the cumulative total amount of daily activity and stress loads on brain, nervous system, and immune system.

--- Inversion table

A few minutes in an inverted position

--- Autogenic Relaxation [10 minutes]

I first started getting into mind-body medicine shortly after I first started hearing about it in earnest in the late 1970's and early 1980's.
I started teaching autogenic relaxation to my high school runners in the mid-1980's.

Reduces brain and peripheral nervous system activity, reduce stress hormone [cortisol] levels and/or effects, increase blood flow and oxygenation, increase or normalize levels of substances and growth factors [nerve growth factors, neuro-trophic factors, anabolic hormones, etc] that promote regeneration and recovery functions in brain, nerve, immune system, and muscle.

Autogenic Relaxation: Stage 1

-- Oxygenation [diaphragmatic breathing].....lay on floor or sit, place one hand on stomach.
During inhale, make your stomach rise prior to your chest rising.

Autogenic Relaxation: Stage 2

-- Brain and nervous system activity reduction.....close your eyes, let go of thoughts related to daily activities.
Repeat affirmations several times...."This is my down-time, I am calming and quieting all cells of my body. I am resting."

Autogenic Relaxation: Stage 3

-- Blood flow.....create relaxation, warmth and heaviness in limbs and torso. Repeat the affirmations....."my hands and arms are becoming warmer and heavier. My feet and legs are becoming warmer and heavier. My chest and torso is becoming warmer and heavier. I am feeling more and more quiet, calm, and relaxed."

What To Do If You Get Sick Or Injured

For illness, injury.....

Continue on schedule with the workouts.

Delete the velocity//intensity component...the workouts should be made into “placeholder” workouts for fitness.

If necessary walk them or jog them.

Background info on the common cold.....

In order to “catch a cold”, a virus must enter the body, usually through the eyes, nose, or mouth. This occurs most often when someone who has a cold, sneezes or wipes/blows their nose. The cold virus gets out of their body in this way, often onto their hands. Assuming they don't wash their hands or wipe them off onto their clothing, towel, etc., they then touch door knobs, hand rails on stairs, and other objects that may be common for other people to touch within a few minutes to a few hours later. If --you-- then come along and touch one of those objects, the cold virus then gets onto you, often onto your hands. All that is necessary at this point is for you to use your hands to rub your eyes—nose--mouth without....first....having wiped them off on your clothes, towel, etc, and/or without having washed your hands.

Once the virus makes its way into your body, it often finds its way into the mucus area of your nose, and/or upper portion of your throat. In these places, though it will come under attack by your immune system, it will make a major effort to replicate and proliferate. If it does so successfully, you will.....“catch a cold”.

At your work place, at school, at the mall, at the airport, somebody with the cold or flu sneezes into their hand, wipes their nose, coughs into their hand, etc, etc. At your home, your work place, school, shopping mall, airport, those people place their hands on door handles, stair railings, water fountain buttons, escalator hand rails, etc, etc.

The cold and flu viruses await you on....door handles, stair railings, water fountain buttons, escalator hand rails, etc, etc. Keep in mind that cold and flu viruses usually don't get into your body unless --you-- put them there.....3 steps to prevent yourself from putting the cold and flu into your body.....

step 1 = program into your brain a deeply ingrained habit to wipe your hands off on your clothes before you use them to rub or touch your eyes—nose--mouth.

step 2 = program into your brain a deeply ingrained habit to wipe your hands off on your clothes before you use them to rub or touch your eyes—nose--mouth.

step 3 = program into your brain a deeply ingrained habit to wipe your hands off on your clothes before you use them to rub or touch your eyes—nose--mouth.

There are some things you can do to assist your immune system during the early stages, at the point in time that you “feel a cold coming on”.

----- Make an effort to kill the cold virus in your nose and/or upper portion of your throat, as to reduce the “viral load” that your immune system will have to combat. You can accomplish this task simply by exposing the virus to the deadly combination of....baking soda—salt— and water. This can be done by placing a teaspoon of baking soda and a pinch of salt into a small Dixie cup or small glass of water. You then pour the mixture into your nose either strait out the cup, or use an eye dropper or other device, allowing the mixture to go through your nose, down into your throat, then expell it [do --not-- swallow it]. You should repeat with another cup, this time pouring the mixture in your mouth, and gargle for a few seconds.

Grocery stores now sell [probably on the cold remedy shelves] a ready-made product of fluid, a saline spray or baking soda and water product, etc, that may facilitate all this if you're not into the do-it-yourself method.

protein

protein

protein

protein

hot jacuzzi, hot bath
autogenic Relaxation
down-time

Keep the body in an anabolic state.

If you get that done everything moves forward.

If you don't get that done, nothing else matters.

Stay ahead of tissue tightening

The rate of tissue tightening as your fitness level progresses in any given week/month may exceed the rate and frequency of stretching sessions and/or the effectiveness/potency of your stretching protocols [range of motion exercises = ROM's].

Issues tend to occur at times **when your fitness level is moving forward, and because your fitness level is moving forward.**

In sprinters, distance runners, etc, those issues tend to be hamstring, calf, quad, cramping & muscle strains.

Look to successfully address that. **Use Range Of Motion exercises to stay ahead of tissue tightening.**

If the level of tissue strength necessary to endure your training loads exceeds what your tissues have, the tissues that are the weakest link in the chain may require you to improve the effectiveness of your strengthening protocols or reconsider the design of your training program.

Look to successfully address that as well.

Training Program Design

"Exercise bouts that maximize anabolic hormonal response and/or minimize the catabolic hormonal response promote greater long-term adaptations....."

"Similarly, exercise bouts that limit the anabolic hormonal response and/or exacerbate the catabolic hormonal response suppress adaptations....."

D.A. Judelson, et al

Effect of hydration state on resistance exercise-induced endocrine markers of anabolism, catabolism, and metabolism
Journal Of Applied Physiology.....Volume 105 #3.....September 2008.....page 815 - 824

"Although there is obviously a training stimulus beyond which any additional load or stimulus does not induce further desired adaptation, the control mechanisms for the adaptive process require regular periods of overload....."

"However, an imbalance between training frequency and subsequent recovery may give rise to an accumulation of training stress that results in a suboptimal adaptation response in skeletal muscle, termed overtraining. Therefore, the frequency of overload is important in defining the training stimulus, with adequate recovery required to ensure optimal muscle adaptation."

V. Coffey, et al

Effect of High-Frequency Resistance Exercise on Adaptive Responses in Skeletal Muscle
Medicine & Science in Sports & Exercise.....Volume 39 #12.....December 2007.....page 2135-2144

"The production of reactive oxygen and nitrogen species....."

"Low to moderate doses of reactive oxygen and nitrogen species play a role in muscle adaptation to endurance training, but an overwhelming increase in reactive oxygen and nitrogen species may lead to increased cell apoptosis and immunosuppression, fatigued states and underperformance."

N.A. Lewis, et al

Redox Homeostasis in the Elite Endurance Athlete
Sports Medicine.....Volume 45 #3.....March 2015.....page 379

Training Program Design

There are --2-- separate consequences of "Over-training"

1. The one where you incur a running injury

2. The one where your body enters into the physiological state where your anabolic system [a.k.a tissue building] is suppressed to some significant degree and thus your ability to acquire training adaptations and move forward in fitness level is suppressed. This can be referred to generally as "Physiological Over-training", or being in an "over-trained state".

Physiological over-training, or being in an "over-trained state" is something one can measure. It often comes in the form of cortisol [stress hormone] production, which suppresses anabolic [tissue building] hormones and other hormone production [ie. testosterone, estrogen, growth hormone, thyroid hormone, and overall adrenal gland function], and competes with anabolic hormones for binding sites on tissues such as muscle. It reduces protein production, such as muscle protein, blood proteins [ie. Red Blood Cells, Immune system cells, etc]. This is a state where even though you are -not- injured, and even though you are training fully, your fitness level does -not- move forward, and may even reverse.

Again, this is a measurable state. You can measure cortisol levels. You can measure red blood cell and EPO production ability. You can measure muscle protein synthesis. You can measure immune system activity. You can measure adrenal gland function. You can measure certain aspects of brain activity.

Regardless of what type of training program you believe in and follow [mileage oriented, or velocity oriented], its helpful if one's body can stay in an anabolic state such that it can adapt to one's training, thus moving forward in fitness, leading to increases in performance level.

That's major challenge and the major objective when designing any training program.

If your body can't adapt, you can't move forward in fitness level. If your body

can't move forward in fitness level, it can't move forward in performance level. Much of sport is about moving forward in performance.

[one of several reasons why "weekly long runs" are --not-- superior to high intensity short stuff for building blood vessels in distance runners. And this is among the reasons why there are no "weekly long runs" in TheETG training program]

".....endothelial progenitor cells contribute to vascular repair process by differentiating into endothelial cells. This study investigates how high-intensity interval and moderate-intensity continuous exercise training affect circulating endothelial progenitor cell levels and endothelial progenitor cells functionality....."


"60 healthy sedentary males were randomized to engage in either HIT (3-minute intervals at 40 and 80 % VO₂max for five repetitions) or MCT (sustained 60% VO₂max) for 30 min/day, 5 days/week for 6 weeks, or to a control group that did not received exercise intervention."

"High intensity interval training is superior...."

"Moreover, high intensity interval training effectively enhances endothelial progenitor cell functionality and suppresses endothelial injury....."

Hsing-Hua Tsai, et al

High-intensity Interval training enhances mobilization/functionality of endothelial progenitor cells and depressed shedding of vascular endothelial cells undergoing hypoxia
European Journal of Applied Physiology -- Volume 116 #11 --December 2016 -- page 2375





New Balance XC Seven spikeless

The story

Racing flats are the first and perhaps the best "minimalist" running shoes ever created.

In the early 1990's TheETG club owner Marshall Burt abandoned the training shoe vs racing flats designations, and began using racing flats as the only running shoes. In TheETG we do --all-- run training in racing flats. A bridge that isn't strong enough to hold the cars that cross it, will eventually cause somebody to get wet. Increase the strength of the bridge to where it can endure the loads placed on it. Inadequate tissue strength in the feet and legs will result in issues independent of what shoes you wear or how much they cost, or how biomechanically great or awful your running form happens to be.

Applied running biomechanics 101

The relatively high coefficient of friction created by certain shoe outsole tread patterns vs track spikes...and the resulting potential impact on the energy cost of running, we prefer to go spikeless.

Late 1970's, 8th grade, a year prior to his freshman year in high school, the first training shoes owned by Marshall Burt was the New Balance 320. At the end of the Fall cross-country season of his freshman year he used them to run the 1977 Marine Corps Marathon.

In 2021, 4 decades after running in New Balance 320's and after running in other brands since.....there is the full circle return to New Balance.





Casio 3257 running watch

The story

Casio motto....."Creativity and Contribution".

In high school during the late 1970's, early 1980's, on recommendation from several teammates, future ETG club owner Marshall Burt bought a Casio 863 running watch, the first running watch he ever owned and perhaps -the- most functional running watch ever made.

As a runner and a coach he stuck with the 863 deep into the 1990's.

Today he runs with the modern day replacement of the Casio 863.....the Casio 3257.

In TheETG's highly standardized "all interval training all the time" training program, one's running watch matters.

The watch during TheETG workouts, its never worn on the wrist.

Always in the hand, always operated via thumb on the hand that holds the watch.

No occupying two hands to take and see the split while running....no elbows raised up and out to see the split. That's not a part of the normal armswing in good running form. Just a simple lifting of the hand during a normal upswing of the arm allows one to see the split.



So called "performance enhancing drugs" are prescription drugs.

Some examples of the effectiveness of prescription drugs in sport.....

"The drug erythropoietin, often called EPO.....a new systemic review of existing research reveals that **there is no scientific evidence that it does enhance performance**, but there is evidence that using it in sport could place a user's health and life at risk."
EPO [erythropoietin] doping in elite cycling: No evidence of benefit, but risk of harm
Science Daily.....December 5, 2012.

"...**there is no scientific basis from which to conclude that rHuEPO has performance-enhancing properties** in elite cyclists." "The use of rHuEPO in cycling is rife but scientifically unsupported by evidence, and its use in sports is medical malpractice."
J.A.Heuberger, et al
Erythropoietin doping in cycling: lack of evidence for efficacy and a negative risk-benefit.
British Journal Of Clinical Pharmacology.....Volume 75 #6.....June 2013...page 1406

"The **over-exaggeration of the effects of growth hormone** in muscle building is effectively promoting its abuse...."
"....there is the question of disinformation on rhGH....Part of this problem may, paradoxically, derive from the anti-doping authorities themselves. By ignoring the evidence the **rhGH does not work** in normal healthy subjects, the athletic establishment could be accused of effectively promoting its use."
"**We must tell athletes the truth: growth hormone does not 'work'** or at least not as they think it does and that its is associated with all kinds of immediate and long term hazards-----everything from decreased performance to cancer."
"....none of us scientists, doctors, coaches, or sports bodies should continue to suggest that this dangerous doping practice works."
M.J. Rennie
British Journal Of Sports Medicine.....Volume 37 #2....April 2003....pages 100-103

"**Testosterone prohormones** such as androstenedione, androstenediol, and dehydroepiandrosterone (DHEA) have been heavily marketed as testosterone-enhancing and muscle-building nutritional supplements for the past decade."
"Contrary to marketing claims, research to date indicates that the use of prohormone nutritional supplements (DHEA, androstenedione, androstenediol, and other steroid hormone supplements) **does not produce either anabolic or ergogenic** effects in men. Moreover, the use of prohormone nutritional supplements may raise the risk for negative health consequences."
G.A.Brown, et al
Testosterone Prohormone Supplements.
Medicine & Science in Sports & Exercise.....Volume 38 #8....August 2006.....pg 1367-1537

So called "performance enhancing drugs" are prescription drugs.

Some examples of the effectiveness of prescription drugs in American medicine & health care.....

"Most drugs are only effective **for a small percentage** of people who take them."
Michael Leavitt [U.S. Secretary of Health & Human Services 2005 - 2009]

".....the benefits that US health care currently deliver **may not outweigh the aggregate health harm** it imparts."
Journal Of The American Medical Association...Volume 302 #1..July 1, 2009...page 89 - 91

"It is estimated that more than 700,000 individuals are seen in hospital emergency departments for adverse drug events each year in the United States."
[Centers For Disease Control.....2015]

"106,000 deaths/year **from non-error**, adverse effects of medications"
B. Starfield
Is US Health Really the Best in the World
Journal of The American Medical Association.....Volume 284 #4....July 26, 2000....page 483 - 485

".....1.5 million U.S. residents are harmed or killed each year because of medication errors, according to an Institute of Medicine report."
Nature Medicine....Volume 12 #9.....September 2006.....pg 984 - 985.....News In Brief

Pursue becoming a

**Master Of
Sport**